## **AMENDMENTS TO THE CLAIMS**

1. (Currently amended) A liquid crystal device comprising:

a substrate;

at least one photo-alignment layer applied to the substrate and which is uniformly aligned

with a polarised polarized light source;

a nematic liquid crystal layer applied to the photo-alignment layer; and

a latent image formed by the photo-alignment layer and the liquid crystal layer wherein

the latent image comprises a pattern formed in the at least one photo-alignment layer and/or

in the liquid crystal layer without the use of a mask and the latent image is viewable under eross-

polarisers cross-polarizers.

2. (Currently amended) A liquid crystal device comprising:

a substrate;

at least one photo-alignment layer applied to the substrate and which is uniformly aligned

with a polarised polarized light source;

a nematic liquid crystal layer applied to the photo-alignment layer; and

a latent image viewable under <del>cross-polarisers</del> cross-polarizers formed in the at least one

photo-alignment layer and/or the liquid crystal layer,

wherein the latent image is formed by image areas and/or non-image areas written in the

at least one photo-alignment layer and/or the liquid crystal layer.

3. (Currently amended) A liquid crystal device according to Claim 1 or Claim 2

wherein a pattern forming the latent image is laser written into the photo-alignment layer and/or

in the liquid crystal layer.

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC 1420 Fifth Avenue Suite 2800 Seattle, Washington, 98101

Seattle, Washington 98101 206.682.8100

-3-

- 4. (Currently amended) A liquid crystal device according to Claim 2 or Claim 3 wherein the latent image is formed by image areas and/or non-image areas of the photo-alignment layer and/or the liquid crystal layer removed by laser ablation.
- 5. (Currently amended) A liquid crystal device according to Claim 1 or Claim 2 wherein the at least one photo-alignment layer is a printed layer.
- 6. (Currently amended) A liquid crystal device according to Claim 1 or Claim 2 wherein the liquid crystal layer is a printed layer.
- 7. (Original) A liquid crystal device according to Claim 1 wherein the photoalignment layer is printed on the substrate in the pattern forming the latent image.
- 8. (Currently amended) A liquid crystal device according to any one of the preceding claims Claim 1 wherein the liquid crystal layer covers the substrate in the entire area of the device.
- 9. (Original) A liquid crystal device according to Claim 1 wherein the liquid crystal layer is printed on the photo-alignment layer in the pattern forming the latent image.
- 10. (Original) A liquid crystal device according to Claim 9 wherein the photoalignment layer covers the substrate in the entire area of the device.
- 11. (Original) A liquid crystal device according to Claim 1 wherein a uniformly aligned first photo-alignment layer covers the substrate in the entire area of the device, the latent image is formed by a pattern in a second photo-alignment layer applied to the first photo-alignment layer, and the liquid crystal layer covers at least the second photo-alignment layer.
- 12. (Original) A liquid crystal device according to Claim 11 wherein the second photo-alignment layer is printed on the first photo-alignment layer in the pattern forming the latent image.

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC 1420 Fifth Avenue Suite 2800 Seattle, Washington 98101 206.682.8100

- 13. (Currently amended) A liquid crystal device according to Claim 11 or Claim 12 wherein the liquid crystal layer is applied to the second photo-alignment layer in the pattern representing the latent image.
- 14. (Original) A liquid crystal device according to Claim 3 wherein the latent image is laser written into the at least one photo-alignment layer.
- 15. (Original) A liquid crystal device according to Claim 11 wherein the latent image is laser-written into the second photo-alignment layer.
- 16. (Original) A liquid crystal device according to Claim 3 wherein the latent image is laser written into the liquid crystal layer.
- 17. (Currently amended) A liquid crystal device according to any one of the preceding claims Claim 1 wherein the liquid crystal layer is fixed by curing.
- 18. (Currently amended) A liquid crystal device according to any one of the preceding claims Claim 1 which includes a coating over the liquid crystal layer.
- 19. (Original) A liquid crystal device according to Claim 17 wherein the coating has a refractive index which substantially matches the refractive index of the liquid crystal layer.
- 20. (Currently amended) A liquid crystal device according to Claim 18 or Claim 19 wherein the coating covers the liquid crystal layer in such a manner to provide a device of substantially uniform height.
- 21. (Currently amended) A method of manufacturing a polarizing liquid crystal device comprising:

applying at least one photo-alignment layer to a substrate; uniformly aligning the photo-alignment layer with a polarised polarized light source; applying a liquid crystal layer to the photo-alignment layer; and

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLE 1420 Fifth Avenue Suite 2800 Seattle, Washington 98101 206.682.8100 forming a pattern representing a latent image in the at least one photo-alignment layer and/or the liquid crystal layer without the use of a mask.

22. (Original) A method according to Claim 20 including the step of writing image

areas and/or non-image areas in at least one of the layers.

23. (Currently amended) A method of manufacturing a liquid crystal device comprising:

applying at least one photo-alignment layer to a substrate;

uniformly polarising polarizing the photo-alignment layer with a polarised polarized light source;

applying a liquid crystal layer to the photo-alignment layer; and

forming a latent image in the at least one photo-alignment layer and/or the liquid crystal layer by writing image areas or non-image areas in at least one of said layers.

24. (Currently amended) A method according to Claim 22 or Claim 23 wherein a

laser is used to write the image areas and/or non-image areas.

25. (Original) A method according to Claim 24 wherein a laser is used to remove image areas or non-image areas of the at least one photo-alignment layer and/or the liquid crystal

layer.

26. (Original) A method according to Claim 25, wherein the uniformly aligned

photo-alignment layer is applied over the substrate in the entire area of the device, and the laser

is used to ablate non-image areas of the photo-alignment layer to leave non-ablated image areas.

27. (Original) A method according to Claim 25 wherein the liquid crystal layer is

applied to the non-ablated image areas of the photo-alignment layer in the pattern representing

the latent image.

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC 1420 Fifth Avenue Suite 2800 Seattle, Washington 98101 206.682.8100

-6-

28. (Original) A method according to Claim 25 wherein the laser is used to ablate non-image areas of the liquid crystal layer to leave non-ablated image areas in a pattern forming the latent image.

29. (Original) A method according to Claim 24 wherein the uniformly aligned photoalignment layer is applied over the substrate in the entire area of the device, and a UV laser is used to change the photo-alignment state of the photo-alignment layer in the image areas and/or non image areas.

30. (Original) A method according to Claim 29 wherein the UV laser has a wavelength of about 280 nm or less.

31. (Currently amended) A method according to Claim 29 or Claim 30 wherein the liquid crystal layer is applied to the photo-alignment layer in a pattern representing the latent image.

32. (Original) A method according to Claim 20 including the step of printing the latent image in at least one of the layers.

33. (Original) A method according to Claim 32 including the step of printing the liquid crystal layer in a pattern representing the latent image.

34. (Original) A method according to Claim 33 including the step of applying the photo-alignment layer over the substrate in the entire area of the liquid crystal device before the liquid crystal layer is applied in the pattern.

35. (Original) A method according to Claim 32 including the step of printing the photo-alignment layer on the substrate in a pattern representing the latent image.

36. (Original) A method according to Claim 35 including the step of applying the liquid crystal area over the entire area of the liquid crystal device.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESSPILLE
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

37. (Currently amended) A method of manufacturing a polarising polarizing liquid

crystal device comprising:

applying a first photo-alignment area to cover the substrate over the entire area of the

device;

uniformly aligning the first photo-alignment layer with polarised polarized light;

applying a second photo-alignment layer in a pattern representing the latent image;

aligning the second photo-alignment layer with polarised polarized light at an angle

different to the alignment of the first photo-alignment layer; and

applying the nematic liquid crystal layer to the second alignment layer in the pattern

representing the latent image.

38. (Original) A method according to Claim 37 wherein the second photo-alignment

is printed on the first photo-alignment layer.

39. (Currently amended) A method according to Claim 37 or Claim 38 wherein the

liquid crystal layer is printed on the second photo-alignment layer.

40. (Currently amended) A method according to any one of Claims 20 to 39

Claim 21 wherein a variable printing process is used to print the at least one photo-alignment

layer and/or the liquid crystal layer.

41. (Currently amended) A method according to any one of Claims 20 to 40

Claim 21 further including the step of fixing the liquid crystal layer by a curing process.

42. (Original) A method according to Claim 41 wherein UV radiation is used to cure

the liquid crystal layer.

43. (Currently amended) A method according to any one of Claims 20 to 42

<u>Claim 21</u> including the step of applying a coating over the liquid crystal layer.

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC 1420 Fifth Avenue Suite 2800

Suite 2800 Seattle, Washington 98101 206.682.8100

-8-

- 44. (Original) A method according to Claim 43 wherein the coating has a refractive index which substantially matches the refractive index of the liquid crystal layer.
- 45. (Currently amended) A method according to Claim 43 or Claim 44 wherein the coating is applied over the liquid crystal layer so as to provide a liquid crystal device of substantially uniform height.
- 46. (Currently amended) A polarising polarizing liquid crystal device manufactured by the method of any one of Claims 21 to 45 Claim 21.
- 47. (Currently amended) A security document or token incorporating a polarising polarizing liquid crystal device in accordance with any one of Claims 1 to 20 or Claim 46 Claim 1.
- 48. (Original) A security document or token according to Claim 47 wherein the latent image is a portrait corresponding to the holder of the security document.
- 49. (Currently amended) A security document or token according to Claim 47 or Claim 48 wherein the polarising polarizing liquid crystal device containing the latent image is provided in a window of the security document.
- 50. (Currently amended) A security document or token according to any one of Claims 42-to-49 Claim 47 wherein the document includes cross-polarisers cross-polarizers in a window for verifying the latent image formed by the polarising polarizing liquid crystal device.

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESSPILE 1420 Fifth Avenue Suite 2800 Seattle, Washington 98101 206.682.8100